



ARCHITECTURAL LIGHTING

Interior LED Lighting Solutions



LEADER IN LED INNOVATION AND HIGH-END MANUFACTURING

With over 27 years' experience in the design and manufacturing of LED fixtures we offer the most advanced optics, low running temperature, and long-life LED making us the top choice for architects, engineers and lighting specifiers.

We offer architectural lighting solutions for commercial and residential applications ideal for cove, accent, grazing, washing, flood, façade and under cabinet.





- ✓ Bin sorted LEDS
- ✓ Precision Optics
- ✓ Thermal Management
- ✓ Plug & Play



It all starts with the light. Having the right light will help you set the right mood at work or at home. At The Smart Lighting Company, we understand the need to provide the right lighting to enhance the comfort of a room and boost your space's functionality. Discover our interior LED lighting luminaires.





HB3Oi Series - Indirect or Direct Illumination

An architectural high-performance interior spec grade fixture available in many static color options as well as RGB and RGBW. Choose from flat or dome lens and bottom or side wire feed. This low-profile fixture has precise optics for graze, wash, and general illumination for cove and accent applications.






JB36 Series – Indirect or Direct Illumination

Connected and powered through magnetic connections, this 24v fixture produces an intense, fluid glow without pixelation. Applications include under cabinet, shelf, kick-toe, and areas where space is limited.



SB18 Series – Indirect or Direct Illumination

A 24v compact fixture designed to produce an even, non-pixelated fluid glow. Illuminate under cabinet, shelf, kick-toe, and in areas where space is limited.



SB Series - Indirect Illumination.

A 24v high intensity architectural linear light bar providing a seamless continuous run for interior graze, wash, and general illumination for cove and accent applications. This ultra-slim, low-profile luminaire is available in many static colors, dimmable and damp location rated.




Showing our SB8 Series

 Model <u>SB8</u>	 Control 0-10v dimming	 Fixture Lengths 12", 24", 36", 48", 60", 66"	 Lumens 380 lm/ft.
 Watts 4.35 w/ft.	 Power 24v	 Beam Angles 15°, 20°, 30°, 45°, 120°	



Showing our SB12 Series

 Model <u>SB12</u>	 Control 0-10v dimming	 Fixture Lengths 12", 24", 36", 48", 60", 66"	 Lumens 620 lm/ft.
 Watts 7w/ft.	 Power 24v	 Beam Angles 15°, 20°, 30°, 45°, 120°	

For more information and to help with your next project, visit us at thesmartlightingcompany.com or call (949) 346-3456

1731 Kaiser Ave. Irvine, CA 92614



The Smart Lighting Company© 10/2021